

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/774,010	02/06/2004	Joseph W. Niesen	7784-000508/CPA	9006
27572 7590 05/18/2007 HARNESS, DICKEY & PIERCE, P.L.C. P.O. BOX 828			EXAMINER	
			CHAUDRY, MUJTABA M	
BLOOMFIELD HILLS, MI 48303			ART UNIT	PAPER NUMBER
			2112	
			MAIL DATE	DELIVERY MODE
		•	05/18/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)		
		10/774,010	NIESEN, JOSEPH W.		
	Office Action Summary	Examiner	Art Unit		
		Mujtaba K. Chaudry	2112		
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1)⊠	Responsive to communication(s) filed on 21 Fe	ebruary 2007.			
2a)⊠	This action is FINAL . 2b) ☐ This	action is non-final.			
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.				
Dispositi	ion of Claims				
5)□ 6)⊠ 7)□	Claim(s) 1-3,6-12,14-18,20 and 21 is/are pendidal Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-3,6-12,14-18,20 and 21 is/are reject Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.			
Application Papers					
10)	The specification is objected to by the Examiner The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Example 1.	epted or b) objected to by the Edrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority u	under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
2) Notice 3) Information	e of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-948) te attachment (s) (PTO/SB/08) te No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	te		

DETAILED ACTION

Applicants' response was received February 21, 2007.

- Claim objections are withdrawn in light of amendments/remarks.
- Specification objections are withdrawn in light of amendments/remarks.
- Claim rejections under 35 USC 112 regarding claims 7 and 12 were not addressed and therefore remain.
- Arguments/amendments considered but not persuasive.
- Claims 1-3, 6-12, 14-18, 20 and 21 stand rejected.

Application pending.

Response to Amendment

Applicant's arguments/amendments with respect to claims 1-3, 6-12, 14-18, 20 and 21 filed February 21, 2007 have been received. All arguments have been fully considered but are not persuasive. The Examiner would like to point out that this action is made final (See MPEP 706.07a).

Applicant contends, "...Jedwab (the prior art of record) does not teach to disclose condensing multiple check sequences into single reduced bit count check sequence..." The Examiner respectfully disagrees. Jedwab teaches (i.e., col. 2, lines 27-30) to combine multiple partial CRC values to provide a CRC verification value for the complete data block.

The Examiner disagrees with the Applicant and maintains rejections with respect to claims 1-3, 6-12, 14-18, 20 and 21. All arguments have been considered. It is the Examiner's conclusion that claims 1-3, 6-12, 14-18, 20 and 21, as presented, are not patentably distinct and/or non-obvious over the prior art of record. See office action:

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 7 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The claim recites, "...said data packets comprise multiple data packets" which is not clear since "data packets" is plural and multiple is plural as well. It is not clear how claim 7 further limits the parent claim and how multiple data packets is different from data packets. For the purposes of examination, the Examiner will make interpretations in accordance with MPEP 2111.

Appropriate correction is requested.

Claim 12 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

- The claim recites, "...to determine whether said at least one data packet was received by said receiver in <u>substantially</u> the same condition as transmitted..." which is not clear. The term substantially is a relative term and therefore it is not clear from the claim or the specification on how it is defined. Furthermore, it is noted that calculating the CRC at the receiver and comparing it with the received CRC will clearly determine if an error(s) exists, not the amount of errors. For the purposes of examination, the term "substantially" will be disregarded and the Examiner will make interpretations in accordance with MPEP 2111.

Appropriate correction is requested.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 2, 6-12, 14, 15, 17, 18 and 21 are rejected under 35 U.S.C. 102(b) as being anticipated by Jedwab (USPN 5778013).

As per claim 1, Jedwab teaches a method for verifying the validity of transmitted digital information data bits arranged in one or more data packets (i.e., col. 6, lines 59-61) comprising: performing a cyclic redundancy check on said one or more data packets to obtain a check sequence for each said one or more data packets (i.e., col. 2, lines 24-26 and col. 6, line 65—col. 7, lines 1-6); and removing the check sequences from the superframe to separate the data packets

from the check sequences and condensing said check sequence into a single reduced bit count check sequence equivalent (i.e., col. 2, lines 27-29 and col. 7, lines 7-12); and wherein the number of bits occupied by said reduced bit count check sequence equivalent is fewer than the number of bits occupied by said check sequences, thus freeing additional data bits for use by digital information data bits. The Examiner would like to point out that the number of bits (data + the CRC verification value) occupied by combining the partial CRC values would inherently free additional space since the all the partial CRCs are replaced with one CRC. Furthermore, it is noted that the limitation, "...the number of bits occupied by said reduced bit count check sequence equivalent is fewer than the number of bits occupied by said check sequences, thus freeing additional data bits for use by digital information data bits" is an effect of combining the partial CRC values. Jedwab teaches said data packets comprise multiple data packets within a superframe (i.e., col. 1, lines 53-58 and col. 2, lines 21-24). The Examiner would like to point out that a relatively "large" plurality of sub-blocks, for which partial CRC values are combined, may be easily constituted as superframe, since by definition a superframe only need to have 193 bit positions.

As per claim 2, Jedwab teaches (i.e., col. 2, lines 22-23) transmitting said reduced bit count check sequence equivalent and said data packets; receiving said reduced bit count check sequence equivalent and said data packets; performing said cyclic redundancy check on said received data packets to obtain received check sequence; and comparing said reduced bit count received check sequence with said reduced bit count transmitted sequence to determine if said data packets were transmitted accurately (i.e., col. 2, lines 30-51). The Examiner would like to point out that Jedwab teaches that once the partial CRC values are combined to form a CRC

verification value, the data and the one CRC verification value are transmitted across a communication medium and the one CRC verification value is used to determine if any errors are present (particularly, col. 2, lines 39-41).

As per claim 6, Jedwab teaches said data packets comprise stand-alone data packets (i.e., col. 2, lines 53-58). See rejections under 35 USC 112.

As per claim 7, Jedwab teaches said data packets comprise multiple data packets (i.e., col. 2, lines 53-58). See rejections under 35 USC 112.

As per claim 8, Jedwab teaches a data transmission system (i.e., col. 2, lines 22-24) comprising: a transmitter operable to perform a cyclic redundancy check on at least one data packet to produce at least one check sequence representing said data packet (i.e., col. 2, lines 24-27); and a condensing device operable to condense said at least one check sequence into a check sequence equivalent that is smaller than said at least one check sequence (i.e., col. 2, lines 28-30); and wherein said at least one data packet and said check sequence equivalent are transmitted by said transmitter (i.e., col. 2, lines 23-24). The Examiner would like to point out that a "communications medium" inherently is a part of a transmitting device and a receiving device.

As per claim 9, Jedwab teaches the number of bits occupied by said check sequence equivalent is fewer than a number of bits occupied by said at least one check sequence, thus freeing additional data bits for use as information bits (i.e., col. 2, lines 27-31). The Examiner would like to point out that the act of combining the partial CRC values taught by Jedwab inherently would reduce the size and free additional data bit for information, since multiple CRC values are being recalculated and replaced by one CRC verification value (i.e., col. 2, lines 32-49).

As per claim 10, Jedwab teaches a receiving device (i.e., col. 2, lines 21-23) operable to receive said transmitted data packet and said transmitted check sequence equivalent and operable to perform cyclic redundancy check on said transmitted data packet (i.e., col. 2, lines 38-41).

As per claim 11, Jedwab teaches said receiving device comprising a forward error correction code to reduce transmitted data packets into single reduced bit count received CRC sequence (i.e., col. 2, lines 38-42). The Examiner would like to point out that verification CRC value is recalculated on the data at the receiver and compared with the transmitted verification CRC value to determine if an error has occurred in the data. As previously stated, CRC coding is well known in the art as an error correction code. For example, see USPN 5007055, col. 4, lines 16-10.

As per claim 12, Jedwab teaches said receiving device comprising a comparator for comparing CRC sequence with said reduced bit count transmitted CRC sequence to determine if an error exists (i.e., col. 2, lines 38-42). The Examiner would like to point out that verification CRC values is recalculated on the data at the receiver and compared with the transmitted verification CRC value to determine if an error has occurred in the data.

As per claim 14, Jedwab teaches said condensing step is performed by an forward error correction code (i.e., col. 3, lines 65—col. 4, lines 1-6). The Examiner would like to point out that CRC coding is well known in the art as an forward error correction code which is implemented as a block code since the CRC value is determined based on blocks of data. For example, see USPN 5007055, col. 4, lines 16-10.

As per claim 15, Jedwab teaches said data packets comprise multiple data packets within a superframe (i.e., col. 1, lines 53-58 and col. 2, lines 21-24). The Examiner would like to point

out that a relatively "large" plurality of sub-blocks, for which partial CRC values are combined, may be easily constituted as superframe, since by definition a superframe only need to have 193 bit positions.

As per claim 17, Jedwab teaches a method for verifying the validity of transmitted digital information data bits arranged in one or more data packets (i.e., col. 6, lines 59-61) comprising: performing a cyclic redundancy check on said one or more data packets to obtain a check sequence for each said one or more data packets (i.e., col. 2, lines 24-26 and col. 6, line 65—col. 7, lines 1-6); and condensing said check sequence into a single reduced bit count check sequence equivalent (i.e., col. 2, lines 27-29 and col. 7, lines 7-12); and wherein the number of bits occupied by said reduced bit count check sequence equivalent is fewer than the number of bits occupied by said check sequences, thus freeing additional data bits for use by digital information data bits. The Examiner would like to point out that the number of bits (data + the CRC verification value) occupied by combining the partial CRC values would inherently free additional space since the all the partial CRCs are replaced with one CRC. Furthermore, it is noted that the limitation, "...the number of bits occupied by said reduced bit count check sequence equivalent is fewer than the number of bits occupied by said check sequences, thus freeing additional data bits for use by digital information data bits" is an effect of combining the partial CRC values. Jedwab also teaches (i.e., col. 2, lines 22-23) transmitting said reduced bit count check sequence equivalent and said data packets; receiving said reduced bit count check sequence equivalent and said data packets; performing said cyclic redundancy check on said received data packets to obtain received check sequence; and comparing said reduced bit count received check sequence with said reduced bit count transmitted sequence to determine if said

Application/Control Number: 10/774,010

Art Unit: 2112

Page 9

data packets were transmitted accurately (i.e., col. 2, lines 30-51). The Examiner would like to point out that Jedwab teaches that once the partial CRC values are combined to form a CRC verification value, the data and the one CRC verification value are transmitted across a communication medium and the one CRC verification value is used to determine if any errors are present (particularly, col. 2, lines 39-41). Jedwab teaches said data packets comprise multiple data packets within a superframe (i.e., col. 1, lines 53-58 and col. 2, lines 21-24). The Examiner would like to point out that a relatively "large" plurality of sub-blocks, for which partial CRC values are combined, may be easily constituted as superframe, since by definition a superframe only need to have 193 bit positions.

As per claim 18, Jedwab teaches said condensing step is performed by an forward error correction code (i.e., col. 3, lines 65—col. 4, lines 1-6). The Examiner would like to point out that CRC coding is well known in the art as an forward error correction code. For example, see USPN 5007055, col. 4, lines 16-10.

As per claim 21, Jedwab teaches identifying said data packets that are transmitted with errors so that said data packets with errors can be further processed (i.e., col. 2, lines 38-41). The Examiner would like to point out that the CRC verification value is used at the receiving end of the communication system to detect errors that may occur in the data.

Application/Control Number: 10/774,010 Page 10

Art Unit: 2112

Claim Rejections - 35 USC § 103

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35

U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 3, 16 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jedwab (USPN 5778013) further in view of Isono et al. (Herein after: Isono, USPN 5007055).

As per claim 3, Jedwab does not explicitly teach to retransmit any of said packets that are received with errors as stated in the present application.

However, Isono substantially teaches, in an analogous art and in view of above rejections to claim 1, (i.e., Figure 5 and col. 3, line 57—col. 4, lines 1-10) the error correction code calculation circuit 12 produces an error correction code, such as a cyclic redundancy code (CRC), for each data block No. 1 to No. m, of, for example, 2 K Byte, which is a unit of transmission of the distribution information. The group of error correction codes produced, consisting of the error correction codes ECC-1, ECC-2, . . . ECC-m regarding all of the produced data blocks No. 1, No. 2, . . . No. m, is stored in the error correction code group holding storage 13. Particularly, Isono teaches (i.e., col. 6, lines 35-39) to retransmit any of said packets that are received with errors. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to include the step of retransmitting any of said packets that are received with errors within the teachings of Jedwab. This modification would

have been obvious to one of ordinary skill in the art because one of ordinary in the art would have recognized that by retransmitting any data packets that are received with errors would be an efficient way of recovering for data loss especially when the corrupted data is received with large amounts of errors which may be beyond recovery otherwise.

As per claim 16, Jedwab does not explicitly teach to retransmit any of said packets that are received in a condition different then transmitted as stated in the present application.

However, Isono substantially teaches, in an analogous art and in view of above rejections to claim 8, (i.e., Figure 5 and col. 3, line 57—col. 4, lines 1-10) the error correction code calculation circuit 12 produces an error correction code, such as a cyclic redundancy code (CRC), for each data block No. 1 to No. m, of, for example, 2 K Byte, which is a unit of transmission of the distribution information. The group of error correction codes produced, consisting of the error correction codes ECC-1, ECC-2, . . . ECC-m regarding all of the produced data blocks No. 1, No. 2, . . . No. m, is stored in the error correction code group holding storage 13. Particularly, Isono teaches (i.e., col. 6, lines 35-39) to retransmit any of said packets that are received in a condition different then transmitted. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to include the step of retransmitting any of said packets that are received in a condition different then transmitted within the teachings of Jedwab. This modification would have been obvious to one of ordinary skill in the art because one of ordinary in the art would have recognized that by retransmitting any data packets that are received in a condition different then transmitted would be an efficient way of recovering for data loss especially when the corrupted data is received with large amounts of errors which may be beyond recovery otherwise.

Application/Control Number: 10/774,010

Art Unit: 2112

As per claim 20, Jedwab does not explicitly teach to retransmit any of said packets that are received with errors as stated in the present application.

Page 12

However, Isono substantially teaches, in an analogous art and in view of above rejections to claim 17, (i.e., Figure 5 and col. 3, line 57—col. 4, lines 1-10) the error correction code calculation circuit 12 produces an error correction code, such as a cyclic redundancy code (CRC), for each data block No. 1 to No. m, of, for example, 2 K Byte, which is a unit of transmission of the distribution information. The group of error correction codes produced, consisting of the error correction codes ECC-1, ECC-2, . . . ECC-m regarding all of the produced data blocks No. 1, No. 2, . . . No. m, is stored in the error correction code group holding storage 13. Particularly, Isono teaches (i.e., col. 6, lines 35-39) to retransmit any of said packets that are received with errors. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to include the step of retransmitting any of said packets that are received with errors within the teachings of Jedwab. This modification would have been obvious to one of ordinary skill in the art because one of ordinary in the art would have recognized that by retransmitting any data packets that are received with errors would be an efficient way of recovering for data loss especially when the corrupted data is received with large amounts of errors which may be beyond recovery otherwise.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiries concerning this communication should be directed to the examiner,

Mujtaba Chaudry who may be reached at 571-272-3817. The examiner may normally be reached

Mon – Thur 6:30 am to 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jacques Louis-Jacques can be reached on 571-272-6962.

Application/Control Number: 10/774,010 Page 14

Art Unit: 2112

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mujtaba Chaudry Art Unit 2112

May 8, 2007

GUY LAMARRE PRIMARY EXAMINER